

Ana Bonaca


ITC Fellow

Harvard - Smithsonian
Center for Astrophysics




What are the tidal streams constraining?

Stellar streams are shaped by the underlying matter distribution



Bonaca et al. (2014)



$\log M_d / M_\odot = 10.833$


$V_h = 430 \text{ km/s}$

$q_z = 1.000$

Johnston et al. (1998) | Varghese et al. (2011) | Price-Whelan et al. (2013) | Sanders et al. (2013)


Different streams measure different aspects of the Galactic halo

Bonaca & Hogg
arXiv:1804.06854





Different streams measure different aspects of the Galactic halo


Bonaca & Hogg
arXiv:1804.06854



Stream observations so far have revealed regular profiles




Ibata et al. (2016)





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425






Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425



Gaia's view of the GD-1 stellar stream



Price-Whelan & Bonaca
arXiv:1805.00425





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425

Proper motion selection





Proper motion and photometry selection





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425

Proper motion selection





Proper motion and photometry selection





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425

Proper motion selection





Proper motion and photometry selection





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425

Proper motion selection





Proper motion and photometry selection





Gaia's view of the GD-1 stellar stream

Price-Whelan & Bonaca
arXiv:1805.00425


Proper motion selection




Proper motion and photometry selection




Gaia's view of the Jhelum stellar stream



Gaia's view of the Jhelum stellar stream: multiple components




Bonaca et al. (in prep)



What are the tidal streams providing?


Constraints on the global
properties of matter
distribution



(mass enclosed inside
present-day position,
see Bonaca & Hogg
arXiv:1804.06854)


What are the tidal streams providing?

Constraints on the global properties of matter distribution



(mass enclosed inside present-day position, see Bonaca & Hogg arXiv:1804.06854)


Evidence of interactions?



ongoing program with C. Conroy & N. Caldwell


What are the tidal streams providing?

Constraints on the global properties of matter distribution



(mass enclosed inside present-day position, see Bonaca & Hogg arXiv:1804.06854)

Evidence of interactions?



ongoing program with C. Conroy & N. Caldwell

Evidence of group infall?

Evidence of interesting dynamics?

